EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	4	(monitor$4) with bandwidth same peer and @rlad<="20001220"	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2007/12/26 10:34
L2	51	(tree or topogoly) same (re$order$4 or chang$4) same chain and @rlad<="20001212"	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2007/12/26 10:35
L3	352	(monitor$4) with bandwidth and (re$order$4 or chang$4) with order and @rlad<="20001220"	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2007/12/26 11:40
L4	0	((monitor$4) with bandwidth and (re$order$4 or chang$4) with order).ab,ti. and @rlad<="20001220"	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2007/12/26 10:39
L5	6	(monitor$4) with bandwidth same (re$order$4 or chang$4) with order and @rlad<="20001220"	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2007/12/26 10:40
L6	7	((monitor$4) with bandwidth).ab,ti. and (re$order$4 or chang$4) with order and @rlad<="20001220"	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2007/12/26 10:42
L7	61	(client or "peer-to-peer" or P2P) with monitor$4 with bandwidth and @rlad<="20011205"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/26 10:43

L8	3	(monitor$4) with bandwidth and (re$order$4 or chang$4) with order with (client or peer) and @rlad<="20001220"	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2007/12/26 10:54
L9	5	(monitor$4) with bandwidth and (re$order$4 or chang$4) with order same (client or peer) and @rlad<="20001220"	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2007/12/26 10:55
L10	126	(monitor$4) with bandwidth and (re$order$4 or chang$4) with order and (client or peer) and @rlad<="20001220"	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2007/12/26 11:01
L11	56	(monitor$4) same bandwidth and (re$order$4 or chang$4) same order with (client or peer) and @rlad<="20001220"	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2007/12/26 10:56
L12	52	l11 not l9	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2007/12/26 10:56
L13	121	l10 not l11	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2007/12/26 11:01
L14	148	(re$order$4 chang$4) with queue and monitor$4 same (bandwidth) and @rlad<="20011205"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/26 11:13

L18	131	I14 not I13	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/26 11:14
L19	40	(re$order or chang$4) with queue same bandwidth and @rlad<="20001220"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/26 11:28
L20	15	(server or client) same monitor same (chang$4 or re$order) with queue and @rlad<="20001220"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/26 11:34
L21	3	(tree or topogoly) same (re$order$4 or chang$4) same chain same bandwidth and @rlad<="20001212"	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2007/12/26 11:38
L22	4	(monitor$4) with bandwidth same peer and @rlad<="20001220"	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2007/12/26 11:38
L23	329	I3 not I14	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2007/12/26 11:40
L26	15	tree same (re$order$4 or chang$4) with chain and @rlad<="20001212"	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2007/12/26 12:17

. 12/26/2007 12:29:32 PM
C:\Documents and Settings\btiv\My Documents\EAST\Workspaces\10007464_peer_to_peer_monitoring.wsp

Page 3

S1	6889	(client or "peer-to-peer" or P2P) with monitor$4 and @ad<="20011205"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/11 10:25
S3	2	("peer-to-peer" or P2P) with monitor$4 with bandwidth and @ad<="20011205"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/11 10:27
S4	0	("2002/0161898").URPN.	USPAT	OR	OFF	2007/06/11 10:26
S5	90	(client or "peer-to-peer" or P2P) with monitor$4 with bandwidth and @ad<="20011205"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/26 10:43
S6	11	(client or "peer-to-peer" or P2P) with monitor$4 with bandwidth same (chang$4 or re$order$4 or re$arrang$4) and @ad<="20011205"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/11 10:35
S7	2	("5640384").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/11 10:28
S8	5	(client or "peer-to-peer" or P2P) with monitor$4 with bandwidth same (chang$4 or re$order$4 or re$arrang$4) and @ad<="20001205"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/11 10:29
S9	4	(("6502131") or ("6687224")).PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/20 10:23

S10	2	("20040078436").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/20 09:07
S11	2	("20020161898").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/20 09:07
S12	0	("2002/0161898").URPN.	USPAT	OR	OFF	2007/06/20 09:09
S13	118	("peer-to-peer" or P2P) with monitor$4 and @ad<="20011205"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/20 09:10
S14	166	(re$order$4 chang$4) with queue and monitor$4 same (bandwidth) and @ad<="20011205"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/26 11:13
S15	6	(("20020073204") or ("20040042402") or ("20020040479")).PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/20 09:28
S16	1963	queue same monitor and @ad<="20000310"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/20 10:07
S17	85	S16 and (peertopeer or P2P)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/20 09:32

S18	545	(chang$4 or re$order$4 or hierarch$5 or priorit$4 or position$4 or topology) same queue same monitor and @ad<="20000310"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/20 09:32
S19	19367	(peertopeer or P2P)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/20 09:32
S20	40	S18 and S19	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/20 09:34
S21	290720	band$width	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/20 09:34
S22	30	S21 and S20	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/20 09:34
S23	22	queue same monitor same (peertopeer or P2P) and @ad<="20000310"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/20 10:08
S24	0	S23 not S22	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/20 10:59

EAST Search History

S25	2	("6502131").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/20 11:01
S26	4	(("20020073204") or ("20020040479")).PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/21 10:13
S27	1	(server or client) with monitor with (chang$4 or re$order) with queue and @ad<="20001220"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/21 10:15
S28	0	(server or client) with monitor with bandwidth same (chang$4 or re$order) with queue and @ad<="20001220"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/21 10:16
S29	0	(server or client) same monitor same bandwidth same (chang$4 or re$order) with queue and @ad<="20001220"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/21 10:16
S30	8	(server or client) same monitor same (chang$4 or re$order) with queue and @ad<="20001220"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/26 11:34
S31	20224747	(re$order or chang$4) with queue @ad<="20001220"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/21 10:20

S32	20220423	(re$order or chang$4) with queue with bandwidth @ad<="20001220"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/21 10:19
S33	20220353	(re$order or chang$4) with queue with bandwidth with monitor @ad<="20001220"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/21 10:20
S34	2	(re$order or chang$4) with queue with bandwidth with monitor$4 and @ad<="20001220"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/21 10:20
S35	2	(re$order or chang$4) with queue with bandwidth with monitor and @ad<="20001220"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/21 10:20
S36	3425	(re$order or chang$4) with queue and @ad<="20001220"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/21 10:20
S37	82	(re$order or chang$4) with queue same bandwidth and @ad<="20001220"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/26 11:28
S38	2	(re$order or chang$4) with queue same bandwidth same (client or server) and @ad<="20001220"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/21 10:21

S39	2	("5485455").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/21 11:53
S40	28	(("5784527") or ("6243391") or ("5502131") or ("6631118") or ("6665273") or ("6665264") or ("6760774") or ("6765872") or ("6791949") or ("6850763") or ("5970052") or ("5991812") or ("6421329") or ("6557041")).PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/21 11:58
S41	10	(("6631118") or ("6665273") or ("6687224") or ("6791949") or ("6850763")).PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/21 12:32
S42	4354	Qos and @ad<="20001220"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/21 12:33
S43	206	Qos same (chang$4 or re$order$4) same bandwidth and @ad<="20001220"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/21 12:34
S44	8	Qos same (chang$4 or re$order$4) with client same bandwidth and @ad<="20001220"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/22 07:58
S45	417	(peer adj2 peer) and ("370"/$.ccls. and "709"/$.ccls.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/22 07:59

S46	216	S45 and stream$	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/22 07:59
S47	172	S45 and stream$	USPAT	OR	ON	2007/06/22 07:59
S48	318	(peer adj2 peer) and ("370"/$.ccls. and "709"/$.ccls.)	USPAT	OR	ON	2007/06/22 08:06
S49	172	S48 and stream$	USPAT	OR	ON	2007/06/22 08:06
S50	5	S49 and ((adjacent or succeeding or preceding) same bandwidth)	USPAT	OR	ON	2007/06/22 08:07
S51	335	(peer adj3 peer) and ("370"/$.ccls. and "709"/$.ccls.)	USPAT	OR	ON	2007/06/22 08:07
S52	178	S51 and stream$	USPAT	OR	ON	2007/06/22 08:07
S53	5	S52 and ((adjacent or succeeding or preceding) same bandwidth)	USPAT	OR	ON	2007/06/22 08:07
S54	193	((peer adj3 peer) same network).ab.	USPAT	OR	ON	2007/06/22 08:16
S55	68	S54 and stream$	USPAT	OR	ON	2007/06/22 08:17
S56	0	S55 and (adjacent same bandwidth)	USPAT	OR	ON	2007/06/22 08:08
S57	47	S55 and (bandwidth)	USPAT	OR	ON	2007/06/22 08:08
S58	46	S57 not S50	USPAT	OR	ON	2007/06/22 08:08
S59	3068	((peer adj3 peer) same network)	USPAT	OR	ON	2007/06/22 08:29
S60	0	S59 and (stream$ same bandwidth same (buffer or fifo)).ab.	USPAT	OR	ON	2007/06/22 08:17
S61	13	S59 and (stream$ same bandwidth).ab.	USPAT	OR	ON	2007/06/22 08:18
S62	11	S61 not S57	USPAT	OR	ON	2007/06/22 08:18
S63	230	((peer adj3 peer) same (client or server or node mor network)).ab.	USPAT	OR	ON	2007/06/22 08:29
S64	230	((peer adj3 peer) same (client or server or node or network)).ab.	USPAT	OR	ON	2007/06/22 08:31
S65	38	S64 and establish$.ab.	USPAT	OR	ON	2007/06/22 08:30
S66	1	S65 and bandwidth.ab.	USPAT	OR	ON	2007/06/22 08:30
S67	9	((peer adj3 peer) same (client or server or node or network) same (queue or buffer or fifo)).ab.	USPAT	OR	ON	2007/06/22 08:31
S68	230	((peer adj3 peer) same (client or server or node or network)).ab.	USPAT	OR	ON	2007/06/22 10:26
S69	38	S68 and establish$.ab.	USPAT	OR	ON	2007/06/22 10:40
S70	120	(peertopeer or P2P) with bandwidth	USPAT	OR	ON	2007/06/22 10:42

EAST Search History

S71	7	(peertopeer or P2P) with bandwidth same (re$order$4 or chang$4 or queue)	USPAT	OR	ON	2007/06/22 10:43
S72	54	("20020062375" | "20020073075" | "20020073204" | "20020087659" | "20020107935" | "20020161821" | "20030067912" | "20040068477" | "20050053093" | "5109483" | "5224205" | "5442637" | "5517622" | "5675629" | "5675782" | "5719861" | "5729682" | "5758087" | "5768527" | "5805820" | "5896503" | "5931916" | "5941988" | "5999530" | "6032175" | "6061734" | "6105064" | "6182136" | "6212558" | "6269099" | "6324580" | "6408341" | "6456600" | "6477590" | "6490618" | "6591310" | "6611872" | "6633761" | "6651105" | "6658540" | "6671746" | "6681282" | "6721286" | "6732180" | "6742023" | "6778491" | "6782527" | "6795917" | "6810259" | "6816461" | "6826763" | "6845091" | "6865600" | "6892230").PN. OR ("7197565").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/06/22 10:52
S73	54	("20020062375" | "20020073075" | "20020073204" | "20020087659" | "20020107935" | "20020161821" | "20030067912" | "20040068477" | "20050053093" | "5109483" | "5224205" | "5442637" | "5517622" | "5675629" | "5675782" | "5719861" | "5729682" | "5758087" | "5768527" | "5805820" | "5896503" | "5931916" | "5941988" | "5999530" | "6032175" | "6061734" | "6105064" | "6182136" | "6212558" | "6269099" | "6324580" | "6408341" | "6456600" | "6477590" | "6490618" | "6591310" | "6611872" | "6633761" | "6651105" | "6658540" | "6671746" | "6681282" | "6721286" | "6732180" | "6742023" | "6778491" | "6782527" | "6795917" | "6810259" | "6816461" | "6826763" | "6845091" | "6865600" | "6892230").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/06/22 10:46
S74	100	server same (re$order$4) same queue	US-PGPUB; USPAT; USOCR	OR	OFF	2007/06/22 10:53
S75	32	server same (re$order$4) same queue and @ad<="20001220"	US-PGPUB; USPAT; USOCR	OR	OFF	2007/06/22 10:53

S76	14	("20020059274" | "20020143959" | "20020172221" | "20030204602" | "20030204605" | "20030204613" | "20030212804" | "20040172476" | "20050125831" | "5603058" | "5712976" | "6742023" | "6829634" | "6920501").PN. OR ("7174385").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/06/22 11:01
S77	71	(monitor$4) with bandwidth with peer	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2007/12/18 18:30
S78	0	(monitor$4) with bandwidth with peer and @ad<="2001212"	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2007/12/18 18:30
S79	0	(monitor$4) with bandwidth with peer and @ad<="2001220"	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2007/12/18 18:31
S80	0	(monitor$4) with bandwidth with peer and @rlad<="2001220"	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2007/12/18 18:31
S81	8062	(monitor$4) with bandwidth samepeer and @rlad<="2001220"	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2007/12/18 18:31
S82	0	(monitor$4) with bandwidth same peer and @rlad<="2001220"	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2007/12/18 18:34

S83	0	(monitor$4) with bandwidth same peer and @ad<="2001220"	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2007/12/18 18:31
S84	0	(monitor$4) with bandwidth and @ad<="2001220"	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2007/12/18 18:32
S85	0	(monitor$4) with bandwidth and @rlad<="2001220"	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2007/12/18 18:32
S86	3	(monitor$4) and @rlad<="2001220"	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2007/12/18 18:33
S87	0	("peer to peer" or p2p) and @rlad<="2001220"	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2007/12/18 18:33
S88	1	("peer to peer" or p2p) and @ad<="2001220"	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2007/12/18 18:34
S89	4	(monitor$4) with bandwidth same peer and @rlad<="20001220"	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2007/12/18 18:34

S90	5	(monitor$4) with bandwidth same peer and @ad<="20001220"	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2007/12/26 11:38
S91	2780	(monitor$4) with bandwidth and @ad<="20001220"	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2007/12/18 18:35
S92	372	(monitor$4) with bandwidth and (re$order$4 or chang$4) with order and @ad<="20001220"	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2007/12/26 10:38
S93	20	(monitor$4) with bandwidth same (re$order$4 or chang$4) with order and @ad<="20001220"	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2007/12/26 10:40
S94	5	monitor$4 with bandwidth with peer and @ad<="20001220"	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2007/12/18 18:38
S95	60	(monitor$4 with bandwidth) same (re$order$4 or chang$4) same (position or queue)	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2007/12/20 12:15
S96	0	(monitor$4 with bandwidth) same (re$order$4 or chang$4) same (position or queue) and (p2p or "peer to peer")	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2007/12/20 10:27

S97	140	tree same (re$order$4 or chang$4) with chain	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2007/12/20 12:16
S98	45	tree same (re$order$4 or chang$4) with chain and @ad<="20001212"	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2007/12/26 12:22
S99	1	tree same (re$order$4 or chang$4) with chain same bandwidth and @ad<="20001212"	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2007/12/20 12:18
S10 0	1	tree same (re$order$4 or chang$4) with chain same bandwidth and @rlad<="20001212"	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2007/12/20 12:19
S10 1	3	(tree or topogoly) same (re$order$4 or chang$4) same chain same bandwidth and @rlad<="20001212"	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2007/12/20 12:22
S10 2	2	(tree or topogoly) same (re$order$4 or chang$4) same chain same bandwidth and @ad<="20001212"	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2007/12/26 11:37
S10 3	129	(tree or topogoly) same (re$order$4 or chang$4) same chain and @ad<="20001212"	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2007/12/26 12:16